

# CPC COOPERATIVE PATENT CLASSIFICATION

## B PERFORMING OPERATIONS; TRANSPORTING (NOTES omitted)

### TRANSPORTING

#### B60 VEHICLES IN GENERAL (NOTE omitted)

#### B60K ARRANGEMENT OR MOUNTING OF PROPULSION UNITS OR OF TRANSMISSIONS IN VEHICLES; ARRANGEMENT OR MOUNTING OF PLURAL DIVERSE PRIME-MOVERS IN VEHICLES; AUXILIARY DRIVES FOR VEHICLES; INSTRUMENTATION OR DASHBOARDS FOR VEHICLES; ARRANGEMENTS IN CONNECTION WITH COOLING, AIR INTAKE, GAS EXHAUST OR FUEL SUPPLY OF PROPULSION UNITS IN VEHICLES

##### NOTES

- In this subclass, the following terms or expressions are used with the meanings indicated:
  - "conjoint control of drive units" includes such control for vehicles or of general applicability;
  - "auxiliary drives" means drives of auxiliary or external machines or devices from the propulsion unit, transmission, or other parts of the vehicle, and includes the control of such drives;
  - "transmission" means all propulsion parts linking propulsion units, e.g. engines, to ultimate propulsive elements, e.g. wheels;
  - "drive unit" means propulsion unit conjoint with transmission, a "drive unit" can additionally include the ultimate driven unit;
  - "sub-unit" means, e.g. propulsion unit, clutch, gearing or brake system;
  - "hybrid vehicle" means vehicles with plural diverse prime-movers for mutual or common propulsion
- Attention is drawn to the Note following the title of class [B60](#)

##### WARNING

In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

Arrangement or mounting of propulsion units in vehicles (of control devices for such units [B60K 26/00](#); elastic mountings [per se F16F](#); propulsion units or their control [per se, see the relevant classes](#))

1/00	Arrangement or mounting of electrical propulsion units ( <a href="#">B60K 7/00</a> takes precedence; arrangement or mounting of plural diverse prime-movers for mutual or common propulsion <a href="#">B60K 6/00</a> ; electric transmission arrangements <a href="#">B60K 17/12</a> ; electric equipment or propulsion of electrically-propelled vehicles <a href="#">per se B60L</a> ; current-collectors for power supply lines of electrically-propelled vehicles <a href="#">B60L 5/00</a> )	1/04	of the electric storage means for propulsion (exchanging batteries for electric propulsion of vehicles <a href="#">B60L 53/80</a> ; for auxiliary purposes only <a href="#">B60R 16/04</a> ; supplying batteries to, or removing batteries from, vehicles <a href="#">B60S 5/06</a> )
		2001/0405	. . {characterised by their position}
2001/001	. {one motor mounted on a propulsion axle for rotating right and left wheels of this axle}	2001/0411	. . . {Arrangement in the front part of the vehicle}
		2001/0416	. . . {Arrangement in the rear part of the vehicle}
2001/003	. {with means for cooling the electrical propulsion units}	2001/0422	. . . {Arrangement under the front seats}
		2001/0427	. . . {Arrangement between the seats}
2001/005	. . {the electric storage means}	2001/0433	. . . {Arrangement under the rear seats}
		2001/0438	. . . {Arrangement under the floor}
2001/006	. . {the electric motors}	2001/0444	. . . {Arrangement on a trailer}
		2001/045	. . . {Arrangement in a wheel, e.g. a spare wheel}
2001/008	. {with means for heating the electrical propulsion units}	2001/0455	. . {Removal or replacement of the energy storages}
		2001/0461	. . . {from the side}
1/02	. comprising more than one electric motor	2001/0466	. . . {from above}
		2001/0472	. . . {from below}
		2001/0477	. . . {from the back}
		2001/0483	. . . {from the front}
		2001/0488	. . . {with arrangements for pivoting}
		2001/0494	. . . {with arrangements for sliding}

<b>3/00</b>	<b>Arrangement or mounting of steam or gaseous-pressure propulsion units</b> ( <a href="#">B60K 7/00</a> takes precedence; arrangement or mounting of plural diverse prime-movers for mutual or common propulsion <a href="#">B60K 6/00</a> ; gaseous-pressure transmission arrangements <a href="#">B60K 17/10</a> )	<b>6/00</b>	<b>Arrangement or mounting of plural diverse prime-movers for mutual or common propulsion, e.g. hybrid propulsion systems comprising electric motors and internal combustion engines</b> {; <b>Control systems therefor, i.e. systems controlling two or more prime movers, or controlling one of these prime movers and any of the transmission, drive or drive units</b> (arrangement or mounting in vehicles of electrical gearing, in which an electrical machine serves only as reduction gearing and not as the prime mover and in which no electrical storing means are used <a href="#">B60K 17/12</a> ; control and regulation of purely electrical prime movers <a href="#">B60L</a> ; prime-movers comprising electrical and internal combustion motors in a common engine block or housing <i>per se</i> <a href="#">F02B 65/00</a> ; electric motors or motor-generators used for starting the combustion engine <a href="#">F02N 11/04</a> ; electric motors for synchronising gearing <a href="#">F16H 3/12</a> )}{ <b>Informative references: mechanical gearings with secondary electric drive <a href="#">F16H 3/72</a>; arrangements for handling mechanical energy structurally associated with the dynamo-electric machine <a href="#">H02K 7/00</a>; machines comprising structurally interrelated motor and generator parts <a href="#">H02K 51/00</a>; dynamo-electric machines not otherwise provided for in <a href="#">H02K</a> see <a href="#">H02K 99/00</a></b> }
3/02	• of piston type		
3/04	• of turbine type		
<b>5/00</b>	<b>Arrangement or mounting of internal-combustion or jet-propulsion units</b> ( <a href="#">B60K 7/00</a> takes precedence; arrangement or mounting of plural diverse prime-movers for mutual or common propulsion <a href="#">B60K 6/00</a> )		
2005/003	• {the internal combustion or jet propulsion unit is arranged between the front and the rear axle}		
2005/006	• {the internal combustion or jet propulsion unit is arranged behind the rear axle}		
5/02	• with the engine main axis, e.g. crankshaft axis, substantially in or parallel to the longitudinal centre line of the vehicle		
5/04	• with the engine main axis, e.g. crankshaft axis, transversely to the longitudinal centre line of the vehicle		
5/06	• . with the engine main axis substantially vertical		
5/08	• comprising more than one engine		
5/10	• providing for ready detachment of engine		
5/12	• Arrangement of engine supports {( <a href="#">supports comprising both a plastic spring and a fluid damper <a href="#">F16F 13/06</a></a> )}		
5/1208	• . {Resilient supports ( <a href="#">B60K 5/1241</a> - <a href="#">B60K 5/1291</a> take precedence)}		
5/1216	• . . {characterised by the location of the supports relative to the motor or to each other ( <a href="#">B60K 5/1225</a> takes precedence)}		
5/1225	• . . . {comprising resilient rings surrounding a part of the unit}		
5/1233	• . . . {comprising protective elements, e.g. for protecting against heat, dust}		
5/1241	• . {Link-type support ( <a href="#">B60K 5/125</a> , <a href="#">B60K 5/1275</a> take precedence)}		
5/125	• . {Telescopic supports, e.g. telescopic dampers ( <a href="#">B60K 5/1275</a> takes precedence)}		
5/1258	• . {Wire-type supports ( <a href="#">B60K 5/1275</a> takes precedence)}		
5/1266	• . {Supports comprising friction damping devices ( <a href="#">B60K 5/125</a> , <a href="#">B60K 5/1283</a> take precedence)}		
5/1275	• . {Plastically deformable supports}	6/08	• Prime-movers comprising combustion engines and mechanical or fluid energy storing means
5/1283	• . {Adjustable supports, e.g. the mounting or the characteristics being adjustable}	6/10	• . by means of a chargeable mechanical accumulator, e.g. flywheel
5/1291	• . {Supports comprising stoppers}	6/105	• . . {the accumulator being a flywheel}
		6/12	• . by means of a chargeable fluidic accumulator
		2006/123	• . . {for driving pneumatic motors}
		2006/126	• . . {the hydraulic accumulator starts the engine}
		6/20	• the prime-movers consisting of electric motors and internal combustion engines, e.g. HEVs

**NOTE**

In this subgroup, the following expressions are used, with the meanings indicated :

- "energy storing means" means apparatus for storing propulsive energy and providing stored energy to drive the prime mover or the ultimate propulsive elements
- "hybrid electric vehicle" (HEV) means a vehicle with an electrical prime mover and a combustion engine, in which the electrical prime mover and the combustion engine either singly or in combination, drive the ultimate propulsive elements, e.g. wheels
- "motor-generator" means an electric motor, or an electric generator, or an electrical machine which can be used for both functions, as a motor or a generator
- "prime mover" means a propulsion unit or source of motive power providing a mechanical output, e.g. via a rotating shaft

**NOTE**

When classifying in one of groups [B60K 6/22](#), [B60K 6/42](#) or [B60K 6/50](#), further technical information, which is considered to represent information of interest for search, should also be classified in the other subgroups of main

## B60K 6/20

(continued)

group [B60K 6/00](#) to enable searching using a combination of classification symbols

- 6/22 . . characterised by apparatus, components or means specially adapted for HEVs
- 6/24 . . . characterised by the combustion engines
- 6/26 . . . characterised by the motors or the generators
- 2006/262 . . . . {the motor or generator are used as clutch, e.g. between engine and driveshaft}
- 2006/264 . . . . {with outer rotor and inner stator}
- 2006/266 . . . . {with two coaxial motors or generators}
- 2006/268 . . . . {Electric drive motor starts the engine, i.e. used as starter motor}
- 6/28 . . . characterised by the electric energy storing means, e.g. batteries or capacitors
- 6/30 . . . characterised by chargeable mechanical accumulators, e.g. flywheels
- 6/32 . . . characterised by the fuel cells
- 6/34 . . . characterised by the absence of energy storing means
- 6/36 . . . characterised by the transmission gearings
- 6/365 . . . . with the gears having orbital motion
- 6/38 . . . characterised by the driveline clutches ([shift clutches within the gearing or transmission B60K 6/36](#) {, [B60K 6/54](#)})
- 2006/381 . . . . {characterized by driveline brakes ([shift brakes in transmission B60K 6/54](#))}
- 6/383 . . . . One-way clutches or freewheel devices
- 6/387 . . . . Actuated clutches, i.e. clutches engaged or disengaged by electric, hydraulic or mechanical actuating means
- 6/40 . . . characterised by the assembly or relative disposition of components
- 6/405 . . . . Housings
- 6/42 . . characterised by the architecture of the hybrid electric vehicle
- 6/44 . . . Series-parallel type
- 6/442 . . . . Series-parallel switching type
- 6/445 . . . . Differential gearing distribution type
- 6/448 . . . . Electrical distribution type
- 6/46 . . . Series type
- 6/48 . . . Parallel type
- 2006/4808 . . . . {Electric machine connected or connectable to gearbox output shaft}
- 2006/4816 . . . . {Electric machine connected or connectable to gearbox internal shaft}
- 2006/4825 . . . . {Electric machine connected or connectable to gearbox input shaft}
- 2006/4833 . . . . {Step up or reduction gearing driving generator, e.g. to operate generator in most efficient speed range}
- 2006/4841 . . . . . {the gear provides shifting between multiple ratios}
- 6/485 . . . . Motor-assist type
- 6/50 . . Architecture of the driveline characterised by arrangement or kind of transmission units
- 6/52 . . . Driving a plurality of drive axles, e.g. four-wheel drive
- 6/54 . . . Transmission for changing ratio
- 2006/541 . . . . {without reverse ratio using instead electric reversing}
- 2006/542 . . . . {with overdrive ratio}
- 6/543 . . . . the transmission being a continuously variable transmission

6/547 . . . . the transmission being a stepped gearing

### 7/00 Disposition of motor in, or adjacent to, traction wheel (roller-skate driving mechanisms [A63C 17/12](#))

- 7/0007 . {the motor being electric}
- 7/0015 . {the motor being hydraulic}
- 7/0023 . {the motor being pneumatic}
- 2007/003 . {with two or more motors driving a single wheel}
- 2007/0038 . {the motor moving together with the wheel axle}
- 2007/0046 . {the motor moving together with the vehicle body, i.e. moving independently from the wheel axle}
- 2007/0053 . {the motor moving relative to the vehicle body and to the wheel axle}
- 2007/0061 . {the motor axle being parallel to the wheel axle}
- 2007/0069 . {the motor axle being perpendicular to the wheel axle}
- 2007/0076 . . {the motor axle being horizontal}
- 2007/0084 . . {the motor axle being vertical}
- 2007/0092 . {the motor axle being coaxial to the wheel axle}

### 8/00 Arrangement or mounting of propulsion units not provided for in one of the preceding main groups

#### Arrangements in connection with cooling, air intake, gas exhaust, fuel supply, or power supply of propulsion units in vehicles

- 11/00 Arrangement in connection with cooling of propulsion units (heating the interior space [B60H](#); cooling internal combustion engines [per se F01P](#))
- 11/02 . with liquid cooling
- 11/04 . . Arrangement or mounting of radiators, radiator shutters, or radiator blinds ({[B60K 11/085](#) takes precedence})
- 11/06 . with air cooling
- 11/08 . Air inlets for cooling; Shutters or blinds therefor ({[radiator or grille guards B60R 19/52](#)})
- 11/085 . . {with adjustable shutters or blinds}
- 13/00 Arrangement in connection with combustion air intake or gas exhaust of propulsion units (extensions for melting snow or ice on roads or like surfaces [E01H 5/00](#), [E01H 6/00](#); forming part of the engine [F01N](#); supplying combustion engines with combustible mixtures or constituents [F02M](#))
- 13/02 . concerning intake
- 13/04 . concerning exhaust ({collecting exhaust gases with central suction systems not forming part of vehicles, e.g. in workshops or tunnels [B08B 15/002](#), otherwise along carriageways [E01C 1/005](#); extensions for melting snow on roads [E01H 5/00](#), [E01H 6/00](#); exhaust or silencing apparatus for internal combustion engines [per se F01N](#); {pipes, joints or supports therefor [F16L](#)})
- 13/06 . using structural parts of the vehicle as ducts, e.g. frame parts
- 15/00 Arrangement in connection with fuel supply of combustion engines {or other fuel consuming energy converters, e.g. fuel cells}; Mounting or construction of fuel tanks (tanks in general [B65D](#), [F17C](#); supplying combustion engines with combustible mixtures or constituents [F02M](#))
- 15/01 . Arrangement of fuel conduits (chassis frame forming fluid conduit means [B62D 21/17](#))
- 15/013 . . {of gas conduits}

2015/016	. . {Fuel conduits having more than one internal passage, e.g. for different types of fuel}	2015/03256	. . {characterised by special valves, the mounting thereof}
15/03	. Fuel tanks ( <a href="#">chassis frame comprising fluid storage compartment B62D 21/16</a> ; Details of the fuel feeding system related to the fuel tank <a href="#">F02M 37/0076</a> )	2015/03263	. . . {Ball valves}
15/03006	. . {Gas tanks ( <a href="#">B60K 15/07 takes precedence</a> )}	2015/03269	. . . {Flap valves}
2015/03013	. . . {Control systems for LPG tanks}	2015/03276	. . . {Valves with membranes}
2015/03019	. . . {Filling of gas tanks}	2015/03282	. . . {Umbrella type valves}
2015/03026	. . . {comprising a valve}	2015/03289	. . . {Float valves; Floats therefor}
2015/03032	. . {Manufacturing of fuel tanks}	2015/03296	. . . {Pressure regulating valves}
2015/03039	. . . {made of a combination of non metallic and metallic materials}	2015/03302	. . . {Electromagnetic valves}
2015/03046	. . . {made from more than one layer}	2015/03309	. . {Tanks specially adapted for particular fuels}
2015/03052	. . . {Fuel tanks made of two balloons, one inside the other}	2015/03315	. . . {for hydrogen}
2015/03059	. . . {Fuel tanks with double shells or more}	2015/03322	. . . {for methanol}
2015/03065	. . . . {with material filled between the walls}	2015/03328	. . {Arrangements or special measures related to fuel tanks or fuel handling}
2015/03072	. . {Arrangements for reducing evaporation}	2015/03335	. . . {for fast filling of fuel tanks, e.g. specific filler pipes for pressurised fuelling}
2015/03078	. . . {Membranes, layers or the like covering the surface of the fuel}	2015/03342	. . . {to allow automatic or robotised filling of the tank}
2015/03085	. . . . {using inflatable bags or bladders in the tanks}	2015/03348	. . . {for supplying additives to fuel}
2015/03092	. . {with latent heat storages to reduce the evaporation of fuel}	2015/03355	. . . {for supplying different types of fuel}
2015/03098	. . {with a device for mixing liquids in the fuel tank, e.g. for mixing oil and fuel}	2015/03361	. . . {for checking the quality or quantity of fuel during filling of fuel tank}
2015/03105	. . {with supplementary interior tanks inside the fuel tank}	2015/03368	. . . {for preventing overfilling of tanks}
2015/03111	. . {Swirl pots}	2015/03375	. . . {to improve security}
2015/03118	. . {Multiple tanks, i.e. two or more separate tanks ( <a href="#">supplementary tanks inside the fuel tank B60K 2015/03105</a> )}	2015/03381	. . . {for preventing explosions}
2015/03125	. . . {Suction lines for dual tanks}	2015/03388	. . . {in case of a roll over of the vehicle}
2015/03131	. . . {Systems for filling dual tanks}	2015/03394	. . . {for preventing expulsion of fuel during filling of the tank}
2015/03138	. . . {Pumping means between the compartments}	2015/03401	. . . {for preventing electrostatic charges}
2015/03144	. . . {Fluid connections between the tanks}	2015/03407	. . . {to protect tanks against projectiles}
2015/03151	. . . {Mechanical connection between the tanks}	2015/03414	. . . {associated with the fuel tank for cooling heated fuel}
2015/03157	. . . {for supply different types of fuel to the motor}	2015/03421	. . . {to protect the fuel tank against heat}
2015/03164	. . {Modular concepts for fuel tanks}	2015/03427	. . . {for heating fuel, e.g. to avoiding freezing}
2015/03171	. . {Expansion tanks}	2015/03434	. . . {for preventing theft of fuel ( <a href="#">locks for filler caps B60K 15/0409</a> ; <a href="#">locking of the inlet cover B60K 2015/0561</a> )}
15/03177	. . {made of non-metallic material, e.g. plastics, or of a combination of non-metallic and metallic material ( <a href="#">B60K 15/03006 takes precedence</a> )}	2015/0344	. . . {comprising baffles}
2015/03184	. . {Exchangeable tanks, i.e. the empty tank is replaced by refilled tank}	2015/03447	. . . {for improving the sealing}
2015/0319	. . {with electronic systems, e.g. for controlling fuelling or venting ( <a href="#">for LPG tanks B60K 2015/03013</a> )}	2015/03453	. . . {for fixing or mounting parts of the fuel tank together}
2015/03197	. . . {Systems for exchanging data}	2015/0346	. . . . {by welding}
2015/03203	. . . . {during refueling}	2015/03467	. . . . {by clip or snap fit fittings}
2015/0321	. . {characterised by special sensors, the mounting thereof}	2015/03473	. . . {for draining or emptying a fuel tank}
2015/03217	. . . {Fuel level sensors}	2015/0348	. . . {for returning the fuel from the motor}
2015/03223	. . . . {comprising at least two level fuel sensors}	2015/03486	. . {characterised by the materials the tank or parts thereof are essentially made from}
2015/0323	. . . {Sensors for detecting presence or absence of the filling nozzle}	2015/03493	. . . {made of plastics}
2015/03236	. . {characterised by special filters, the mounting thereof}	15/035	. . characterised by venting means
2015/03243	. . {characterised by special pumps, the mounting thereof}	15/03504	. . . {adapted to avoid loss of fuel or fuel vapour, e.g. with vapour recovery systems}
2015/0325	. . . {Jet pumps}	2015/03509	. . . . {with a droplet separator in the vent line}
		2015/03514	. . . . {with vapor recovery means}
		15/03519	. . . {Valve arrangements in the vent line}
		2015/03523	. . . {Arrangements of the venting tube}
		2015/03528	. . . . {Mounting of venting tubes}
		2015/03533	. . . . {the venting tube being movable with the fuel level}
		2015/03538	. . . . {the venting tube being connected with the filler tube}
		2015/03542	. . . {Mounting of the venting means ( <a href="#">mounting of venting tubes B60K 2015/03528</a> )}



2015/03547	. . . .	{the venting means are integrated in the fuel cap or inlet cover}	2015/0493	. . . .	{Means for checking absence or presence of closure cap}
2015/03552	. . . .	{the venting means are integrated into the fuel filler pipe}	2015/0496	. . . .	{the fuel inlet being arranged on the top of the fuel tank}
2015/03557	. . . .	{comprising elements of the venting device integrated in the fuel tank, e.g. vapor recovery means}	15/05	. . . .	Inlet covers
2015/03561	. . . .	{Venting means working at specific times}	2015/0507	. . . .	{Arrangements for adjusting the inlet cover}
2015/03566	. . . .	{comprising means for stopping the venting of fuel vapor, e.g. during refueling or engine stop}	2015/0515	. . . .	{Arrangements for closing or opening of inlet cover (locking means <a href="#">B60K 2015/0561</a> )}
2015/03571	. . . .	{Venting during driving}	2015/0523	. . . .	{with sliding connection to the vehicle body}
2015/03576	. . . .	{Venting during filling the reservoir}	2015/053	. . . .	{with hinged connection to the vehicle body}
2015/0358	. . . .	{the venting is actuated by specific signals or positions of particular parts}	2015/0538	. . . .	{with open or close mechanism automatically actuated}
2015/03585	. . . .	{by gas pressure}	2015/0546	. . . .	{Arrangements for checking the position of the inlet cover}
2015/0359	. . . .	{by filler cap or inlet cover position}	2015/0553	. . . .	{Details concerning the inlet box or bowl in the vehicle car body panel}
2015/03595	. . . .	{by filler nozzle}	2015/0561	. . . .	{Locking means for the inlet cover}
15/04	. . . .	Tank inlets ( <a href="#">B60K 15/077</a> takes precedence)	2015/0569	. . . .	{with actuator fixed to the inlet cover}
15/0403	. . . .	{Anti-siphoning devices}	2015/0576	. . . .	{with actuator fixed to the vehicle body}
15/0406	. . . .	{Filler caps for fuel tanks}	2015/0584	. . . .	{the locking bolt is linearly moved to lock or unlock}
15/0409	. . . .	{Provided with a lock}	2015/0592	. . . .	{with storage means for the cap}
2015/0412	. . . .	{the key can only be withdrawn when the cap is placed on the filler neck}	15/06	. . . .	characterised by fuel reserve systems
2015/0416	. . . .	{electrically actuated}	15/061	. . . .	{with level control}
2015/0419	. . . .	{Self-sealing closure caps, e.g. that don't have to be removed manually}	2015/062	. . . .	{Arrangement for filling the fuel reserve systems}
2015/0422	. . . .	{actuated by the inlet cover}	15/063	. . . .	Arrangement of tanks
2015/0425	. . . .	{actuated by a motor}	2015/0631	. . . .	{the fuel tank forming at least part of the vehicle floor}
2015/0429	. . . .	{actuated by the nozzle}	2015/0632	. . . .	{the fuel tank is arranged below the front seat}
2015/0432	. . . .	{having a specific connection between the cap and the vehicle or tank opening}	2015/0633	. . . .	{the fuel tank is arranged below the rear seat}
2015/0435	. . . .	{using a sliding connection}	2015/0634	. . . .	{the fuel tank is arranged below the vehicle floor}
2015/0438	. . . .	{using screw or bayonet}	2015/0635	. . . .	{the fuel tank is arranged between the seats}
2015/0441	. . . .	{with torque control}	2015/0636	. . . .	{the fuel tank being part of the chassis or frame}
2015/0445	. . . .	{using hinges}	2015/0637	. . . .	{the fuel tank is arranged in the front of the vehicle}
2015/0448	. . . .	{comprising spherical valve type closures}	2015/0638	. . . .	{the fuel tank is arranged in the rear of the vehicle}
2015/0451	. . . .	{Sealing means in the closure cap}	2015/0639	. . . .	{the fuel tank is arranged near or in the roof}
2015/0454	. . . .	{combined closing of the fuel inlet and bodywork inlet by one element which is visible from outside}	15/067	. . . .	Mounting of tanks
2015/0458	. . . .	{Details of the tank inlet}	2015/0675	. . . .	{allowing deflection movements of the tank in case of a crash}
2015/0461	. . . .	{comprising a filler pipe shutter, e.g. trap, door or flap for fuel inlet}	15/07	. . . .	of gas tanks
2015/0464	. . . .	{comprising a flexible or extendable filler pipes, e.g. corrugated, foldable or with bellows}	15/073	. . . .	Tank construction specially adapted to the vehicle ( <a href="#">B60K 15/077</a> takes precedence)
2015/0467	. . . .	{Fuel tanks with more than one filler pipe}	15/077	. . . .	with means modifying or controlling distribution or motion of fuel, e.g. to prevent noise, surge, splash or fuel starvation
2015/047	. . . .	{Manufacturing of the fuel inlet or connecting elements to fuel inlet, e.g. pipes or venting tubes}	2015/0772	. . . .	{Floats in the fuel tank (float valves <a href="#">B60K 2015/03289</a> )}
2015/0474	. . . .	{Arrangement of fuel filler pipes in relation to vehicle body}	2015/0775	. . . .	{for reducing movement or slash noise of fuel}
2015/0477	. . . .	{Details of the filler neck tank side}	2015/0777	. . . .	{in-tank reservoirs or baffles integrally manufactured with the fuel Tank}
2015/048	. . . .	{Arrangements for sealing the fuel inlet during filling}	15/10	. . . .	concerning gas-producing plants
2015/0483	. . . .	{Means to inhibit the introduction of too small or too big filler nozzles}			
2015/0487	. . . .	{Means to shield vehicle bodywork from fuel, e.g. during filling}			
2015/049	. . . .	{Means for determining the position of the filler nozzle in the filler pipe}			

16/00	<b>Arrangements in connection with power supply of propulsion units in vehicles from forces of nature, e.g. sun or wind</b> (electric propulsion with power supply from forces of nature, e.g. sun or wind <a href="#">B60L 8/00</a> ; marine propulsion by wind motors driving water-engaging propulsive elements <a href="#">B63H 13/00</a> ; wind motors specially adapted for installation on vehicles <a href="#">F03D 9/32</a> )	17/303	. . {with a gearwheel on the steering knuckle or kingpin axis}
		17/306	. . {with a universal joint in the axis of the steering knuckle}
		17/32	. the ultimate propulsive elements, e.g. ground wheels, being rockable about a horizontal pivot
		17/34	. for driving both front and rear wheels, e.g. four wheel drive vehicles (arrangement or mounting of control devices for changing number of driven wheels <a href="#">B60K 23/08</a> )
	<b>NOTE</b>	17/342	. . having a longitudinal, endless element, e.g. belt or chain, for transmitting drive to wheels
	When classifying in this group, details of sail or rigging arrangements which are suited for marine wind propulsion are also classified in the relevant groups of subclass <a href="#">B63H</a> , e.g. in groups <a href="#">B63H 8/00</a> , <a href="#">B63H 9/04</a> .	17/344	. . having a transfer gear
2016/003	. {solar power driven}	17/346	. . . the transfer gear being a differential gear
2016/006	. {wind power driven}	17/3462	. . . . {with means for changing distribution of torque between front and rear wheels}
		17/3465	. . . . {self-actuated means, e.g. differential locked automatically by difference of speed}
		17/3467	. . . . {combined with a change speed gearing, e.g. range gear}
		17/348	. . having differential means for driving one set of wheels, e.g. the front, at one speed and the other set, e.g. the rear, at a different speed ( <a href="#">B60K 17/346</a> takes precedence)
		17/35	. . . including arrangements for suppressing or influencing the power transfer, e.g. viscous clutches (differential gearing with locking devices <a href="#">F16H 48/20</a> )
		17/3505	. . . . {with self-actuated means, e.g. by difference of speed}
		17/351	. . . . . {comprising a viscous clutch}
		17/3515	. . . . {with a clutch adjacent to traction wheel, e.g. automatic wheel hub}
		17/352	. . . . {manually operated}
		17/354	. . having separate mechanical assemblies for transmitting drive to the front or to the rear wheels or set of wheels
		17/356	. . having fluid or electric motor, for driving one or more wheels (disposition of motor in, or adjacent to, traction wheel <a href="#">B60K 7/00</a> )
		17/358	. . {all driven wheels being steerable}
		17/36	. for driving tandem wheels
		<b>20/00</b>	<b>Arrangement or mounting of change-speed gearing control devices in vehicles</b> (movable cabs having special adaptations of vehicle control devices <a href="#">B62D 33/06</a> ; such control devices <a href="#">per se F16H</a> )
		20/02	. of initiating means (control mechanisms in general <a href="#">G05G</a> )
		20/04	. . floor mounted
		20/06	. . mounted on steering column or the like
		20/08	. . Dashboard means
		<b>23/00</b>	<b>Arrangement or mounting of control devices for vehicle transmissions, or parts thereof, not otherwise provided for</b> (movable cabs having special adaptations of vehicle control devices <a href="#">B62D 33/06</a> ; such control devices <a href="#">per se F16D</a> , <a href="#">F16H</a> )
		2023/005	. {Adjusting multiple pedals, e.g. for their initial position}
		23/02	. for main transmission clutches
		2023/025	. . {Adjusting of clutch pedal positions (clutch adjustment for removing slack <a href="#">F16D 13/75</a> )}
		23/04	. for differential gearing

2023/043	. . {Control means for varying left-right torque distribution, e.g. torque vectoring}	2026/027	. . {Acceleration input members mounted on a seat}
2023/046	. . {Axle differential locking means}	2026/028	. . {Acceleration input members mounted on steering wheel or column}
23/06	. for freewheel devices	2026/029	. . {Joystick type control devices for acceleration}
23/08	. for changing number of driven wheels {, for switching from driving one axle to driving two or more axles ( <a href="#">B60K 17/3515</a> takes precedence)}	26/04	. of means connecting initiating means or elements to propulsion unit
23/0808	. . {for varying torque distribution between driven axles, e.g. by transfer clutch}	2026/043	. . {with mechanical gearings}
2023/0816	. . . {for varying front-rear torque distribution with a central differential}	2026/046	. . {with electrical transmission means}
2023/0825	. . . . {for adding torque to the front wheels}	<b>28/00</b>	<b>Safety devices for propulsion-unit control, specially adapted for, or arranged in, vehicles, e.g. preventing fuel supply or ignition in the event of potentially dangerous conditions (for electrically-propelled vehicles <a href="#">B60L 3/00</a>; road vehicle drive control systems for purposes not related to the control of a particular sub-unit <a href="#">B60W 30/00</a>; drive control systems specially adapted for autonomous road vehicles <a href="#">B60W 60/00</a>)</b>
2023/0833	. . . . {for adding torque to the rear wheels}		<b>WARNING</b>
2023/0841	. . . {for locking a central differential, e.g. by using a lock-up clutch}		Groups <a href="#">B60K 28/00</a> - <a href="#">B60K 28/165</a> are impacted by reclassification into groups <a href="#">B60W 60/00</a> - <a href="#">B60W 60/007</a> , <a href="#">B60W 2300/00</a> - <a href="#">B60W 2530/213</a> , <a href="#">B60W 2540/041</a> - <a href="#">B60W 2540/049</a> , <a href="#">B60W 2552/00</a> - <a href="#">B60W 2556/65</a> , <a href="#">B60W 2710/00</a> - <a href="#">B60W 2720/406</a> , and <a href="#">B60W 2754/00</a> - <a href="#">B60W 2900/00</a> .
2023/085	. . {automatically actuated}		All groups listed in this Warning should be considered in order to perform a complete search.
2023/0858	. . . {with electric means, e.g. electro-hydraulic means}		
2023/0866	. . . {with hydraulic means only}		
2023/0875	. . . {with mechanical means only}		
2023/0883	. . {manually actuated}		
2023/0891	. . . {with actuator levers, e.g. shift levers or linkage for changing two-wheel to four-wheel drive}		
<b>25/00</b>	<b>Auxiliary drives (<a href="#">B60K 16/00</a> takes precedence; arrangements of tyre-inflating pumps mounted on vehicles <a href="#">B60C 23/10</a>; driving tyre-inflating pumps <a href="#">B60C</a>; driving engine auxiliaries <a href="#">F02B</a>)</b>		
2025/005	. {driven by electric motors forming part of the propulsion unit}	2028/003	. {inhibiting the starter motor, e.g. by controlling ignition or park lock circuits}
25/02	. directly from an engine shaft	2028/006	. {disconnecting the electric power supply, e.g. the vehicle battery}
2025/022	. . {by a mechanical transmission}	28/02	. responsive to conditions relating to the driver
2025/024	. . . {with variable ratio}	28/04	. . responsive to presence or absence of the driver, e.g. to weight or lack thereof
2025/026	. . {by a hydraulic transmission}	28/06	. . responsive to incapacity of driver
2025/028	. . {by a pneumatic transmission}	28/063	. . . {preventing starting of vehicles}
25/04	. from static or dynamic pressure or vacuum, developed by the engine	28/066	. . . {actuating a signalling device ( <a href="#">B60K 28/063</a> takes precedence)}
25/06	. from the transmission power take-off ( <a href="#">transmissions having power-take-off <a href="#">B60K 17/28</a></a> )	28/08	. responsive to conditions relating to the cargo, e.g. overload
2025/065	. . {the transmission being fluidic, e.g. hydraulic}	28/10	. responsive to conditions relating to the vehicle
25/08	. from a ground wheel, e.g. engaging the wheel tread or rim	28/12	. . responsive to conditions relating to doors or doors locks, e.g. open door
25/10	. directly from oscillating movements due to vehicle running motion, e.g. suspension movement ( <a href="#">resilient suspensions having dampers accumulating utilisable energy, e.g. compressing air, <a href="#">B60G 13/14</a></a> )	28/14	. . responsive to accident or emergency, e.g. deceleration, tilt of vehicle
2025/103	. . {by electric means}	28/16	. . responsive to, or preventing, skidding of wheels ( <a href="#">brake control systems for vehicle drive stability <a href="#">B60T 8/1755</a></a> ; arrangements responsive to a speed condition for adjusting wheel braking force <a href="#">B60T 8/32</a> ; control of vehicle driving stability otherwise than by controlling the propulsion unit only <a href="#">B60W 30/02</a> ; preventing wheel slippage by reducing power in rail vehicles <a href="#">B61C 15/00</a> )
2025/106	. . {by fluid means}	28/165	. . . {acting on elements of the vehicle drive train other than the propulsion unit and brakes, e.g. transmission, clutch, differential ( <a href="#">acting on brakes <a href="#">B60T 8/17</a></a> )}
<b>26/00</b>	<b>Arrangements or mounting of propulsion unit control devices in vehicles</b>		
26/02	. of initiating means or elements		
26/021	. . {with means for providing feel, e.g. by changing pedal force characteristics}		
2026/022	. . . {with tactile feedback from a controller, e.g. vibrations}		
2026/023	. . . {with electrical means to generate counter force or torque}		
2026/024	. . {Adjustable consoles, e.g. for changing position of mounting casings}		
2026/025	. . {Input devices for controlling electric drive motors}		
2026/026	. . {Adjusting of accelerator pedal positions}		

**31/00** **Vehicle fittings, acting on a single sub-unit only, for automatically controlling vehicle speed, i.e. preventing speed from exceeding an arbitrarily established velocity or maintaining speed at a particular velocity, as selected by the vehicle operator** (fittings acting on two or more sub-units [B60W 30/14](#); speedometers [G01P](#); systems or devices for controlling speed in general [G05D 13/00](#) ; in traffic anti-collision system for road vehicles [G08G 1/16](#) )

**NOTE**

In this group:

- the means ordinarily includes a device, e.g. a servomechanism, for operating a velocity-affecting element of the vehicle, e.g. the throttle;
- a means for preventing a vehicle from exceeding a particular speed is often referred to as a "governor", whereas a means for maintaining the vehicle within a relatively narrow speed range is generally designated as "speed control". Since these two functions are frequently interrelated, no attempt has been made to identify such means as being particularly adapted to perform only one, or the other of the functions.

- 31/0008 . {including means for detecting potential obstacles in vehicle path}
- 2031/0016 . . {Identification of obstacles; Selection of a target vehicle}
- 2031/0025 . . {Detecting position of target vehicle, e.g. vehicle driving ahead from host vehicle}
- 2031/0033 . . {Detecting longitudinal speed or acceleration of target vehicle}
- 2031/0041 . . {Detecting lateral speed of target vehicle}
- 2031/005 . . {Selecting more than one target vehicle, e.g. using several preceding vehicles as target}
- 31/0058 . {responsive to externally generated signalling}
- 31/0066 . {responsive to vehicle path curvature}
- 31/0075 . . {responsive to vehicle steering angle}
- 31/0083 . . {responsive to centrifugal force acting on vehicle due to the path it is following}
- 2031/0091 . {Speed limiters or speed cutters}
- 31/02 . including electrically actuated servomechanism {including an electric control system or a servomechanism in which the vehicle velocity affecting element is actuated electrically}
- 31/04 . . and means for comparing one electrical quantity, e.g. voltage, pulse, waveform, flux, or the like, with another quantity of a like kind, which comparison means is involved in the development of an electrical signal which is fed into the controlling means
- 31/042 . . . {where at least one electrical quantity is set by the vehicle operator}
- 31/045 . . . . {in a memory, e.g. a capacitor}
- 31/047 . . . . . {the memory being digital}
- 31/06 . including fluid pressure actuated servomechanism {in which the vehicle velocity affecting element is actuated by fluid pressure}
- 31/08 . . and one or more electrical components for establishing or regulating input pressure

- 31/10 . . and means for comparing one electrical quantity, e.g. voltage, pulse, waveform, flux, or the like, with another quantity of a like kind, which comparison means is involved in the development of a pressure which is fed into the controlling means
- 31/102 . . . {where at least one electrical quantity is set by the vehicle operator}
- 31/105 . . . . {in a memory, e.g. a capacitor}
- 31/107 . . . . . {the memory being digital}
- 31/12 . including a device responsive to centrifugal forces {(centrifugal force acting on the vehicle due to the path it is following [B60K 31/0083](#), motor speed limiting by governors [G05D 13/10](#))}
- 31/14 . . having an electrical switch which is caused to function by the centrifugal force
- 31/16 . having means to prevent or discourage unauthorised use or adjusting of the controlling means {(vehicle theft prevention in general [B60R 25/00](#))}
- 31/18 . including a device to audibly, visibly, or otherwise signal the existence of unusual or unintended speed {to the driver of the vehicle (devices primarily intended for indicating speed to other traffic [B60Q 1/54](#))}
- 31/185 . . {connected to the speedometer display, e.g. by sensors or switches responsive to the position of the indicator needle (arrangement of pointers in automobile speedometers for indicating predetermined speeds by the detection of the position of the indicator needle [G01P 1/11](#))}

**Instruments specially adapted for vehicles or dashboards;  
Arrangement of instruments or dashboards in or on vehicles**

**35/00** **Instruments specially adapted for vehicles;  
Arrangement of instruments in or on vehicles**

**NOTE**

{In this group, it is desirable to add the indexing codes of [B60K 2360/20](#) - [B60K 2360/48](#), [B60K 2360/60](#) - [B60K 2360/62](#) and [B60K 2360/92](#) - [B60K 2360/96](#)}

**WARNING**

Group [B60K 35/00](#) is impacted by reclassification into groups [B60K 35/10](#), [B60K 35/20](#) - [B60K 35/29](#), [B60K 35/40](#) - [B60K 35/425](#), [B60K 35/50](#) - [B60K 35/53](#), [B60K 35/55](#), [B60K 35/60](#), [B60K 35/65](#) - [B60K 35/658](#), [B60K 35/70](#), [B60K 35/80](#) - [B60K 35/81](#), [B60K 35/85](#) and [B60K 35/90](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 35/10 . Input arrangements, i.e. from user to vehicle, associated with vehicle functions or specially adapted therefor

**NOTE**

{In this group, it is desirable to add the indexing codes of [B60K 2360/11](#) - [B60K 2360/149](#)}



B60K 35/10  
(continued)

**WARNING**

Group [B60K 35/10](#) is incomplete pending reclassification of documents from group [B60K 35/00](#).

Groups [B60K 35/00](#) and [B60K 35/10](#) should be considered in order to perform a complete search.

- 35/20 . . . . . Output arrangements, i.e. from vehicle to user, associated with vehicle functions or specially adapted therefor

**NOTE**

{In the groups [B60K 35/20](#) – [B60K 35/22](#) and [B60K 35/26](#), it is desirable to add the indexing codes of [B60K 2360/151](#) - [B60K 2360/1526](#)}

**WARNING**

Groups [B60K 35/20](#), [B60K 35/21](#), [B60K 35/211](#), [B60K 35/212](#), [B60K 35/213](#), [B60K 35/214](#), [B60K 35/215](#), [B60K 35/22](#), [B60K 35/223](#), [B60K 35/25](#), [B60K 35/26](#), [B60K 35/265](#), [B60K 35/28](#), [B60K 35/285](#) and [B60K 35/29](#) are incomplete pending reclassification of documents from group [B60K 35/00](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 35/21 . . . . . using visual output, e.g. blinking lights or matrix displays
- 35/211 . . . . . {producing three-dimensional [3D] effects, e.g. stereoscopic images}
- 35/212 . . . . . {displaying on manual operation elements, e.g. on a knob}
- 35/213 . . . . . {Virtual instruments}
- 35/214 . . . . . {Variable gauge scales, e.g. scale enlargement to adapt to maximum driving speed}
- 35/215 . . . . . characterised by the combination of multiple visual outputs, e.g. combined instruments with analogue meters and additional displays
- 35/22 . . . . . Display screens
- 35/223 . . . . . {Flexible displays}
- 35/23 . . . . . Head-up displays [HUD] (optical aspects of head-up displays [G02B 27/01](#))

**WARNING**

Group [B60K 35/23](#) is incomplete pending reclassification of documents from group [B60K 35/00](#).

Group [B60K 35/23](#) is also impacted by reclassification into groups [B60K 35/231](#), [B60K 35/232](#), [B60K 35/233](#), [B60K 35/234](#) and [B60K 35/235](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 35/231 . . . . . characterised by their arrangement or structure for integration into vehicles

**WARNING**

Group [B60K 35/231](#) is incomplete pending reclassification of documents from groups [B60K 35/00](#) and [B60K 35/23](#).

Groups [B60K 35/00](#), [B60K 35/23](#) and [B60K 35/231](#) should be considered in order to perform a complete search.

- 35/232 . . . . . controlling the projection distance of virtual images depending on the condition of the vehicle or the driver

**WARNING**

Group [B60K 35/232](#) is incomplete pending reclassification of documents from groups [B60K 35/00](#) and [B60K 35/23](#).

Groups [B60K 35/00](#), [B60K 35/23](#) and [B60K 35/232](#) should be considered in order to perform a complete search.

- 35/233 . . . . . controlling the size or position in display areas of virtual images depending on the condition of the vehicle or the driver

**WARNING**

Group [B60K 35/233](#) is incomplete pending reclassification of documents from groups [B60K 35/00](#) and [B60K 35/23](#).

Groups [B60K 35/00](#), [B60K 35/23](#) and [B60K 35/233](#) should be considered in order to perform a complete search.

- 35/234 . . . . . controlling the brightness, colour or contrast of virtual images depending on the driving conditions or on the condition of the vehicle or the driver

**WARNING**

Group [B60K 35/234](#) is incomplete pending reclassification of documents from groups [B60K 35/00](#), [B60K 35/23](#) and [B60K 2360/349](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 35/235 . . . . . with means for detecting the driver's gaze direction or eye points

**WARNING**

Group [B60K 35/235](#) is incomplete pending reclassification of documents from groups [B60K 35/00](#), [B60K 35/23](#) and [B60K 2360/149](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 35/25 . . . . . using haptic output
- 35/26 . . . . . using acoustic output
- 35/265 . . . . . {Voice}

- 35/28 . . characterised by the type of the output information, e.g. video entertainment or vehicle dynamics information; characterised by the purpose of the output information, e.g. for attracting the attention of the driver

**NOTE**

{In this group, it is desirable to add the indexing codes of [B60K 2360/16](#) - [B60K 2360/179](#)}

- 35/285 . . . {for improving awareness by directing driver's gaze direction or eye points}
- 35/29 . . Instruments characterised by the way in which information is handled, e.g. showing information on plural displays or prioritising information according to driving conditions

**NOTE**

{In this group, it is desirable to add the indexing codes of [B60K 2360/18](#) - [B60K 2360/199](#)}

- 35/40 . Instruments specially adapted for improving the visibility thereof to the user, e.g. fogging prevention or anti-reflection arrangements

**WARNING**

Groups [B60K 35/40](#) - [B60K 35/425](#) are incomplete pending reclassification of documents from group [B60K 35/00](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 35/405 . . {Fogging prevention}
- 35/415 . . {Glare prevention}
- 35/425 . . {Anti-reflection arrangements}
- 35/50 . Instruments characterised by their means of attachment to or integration in the vehicle ([B60K 35/231](#) takes precedence)

**NOTE**

{In this group, it is desirable to add the indexing codes of [B60K 2360/816](#) - [B60K 2360/834](#)}

**WARNING**

Group [B60K 35/50](#) is incomplete pending reclassification of documents from groups [B60K 35/00](#) and [B60K 35/60](#).

Group [B60K 35/50](#) is also impacted by reclassification into groups [B60K 37/00](#), [B60K 37/10](#) and [B60K 37/20](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 35/53 . . Movable instruments, e.g. slidable

**WARNING**

Group [B60K 35/53](#) is incomplete pending reclassification of documents from group [B60K 35/00](#).

Group [B60K 35/53](#) is also impacted by reclassification into group [B60K 35/55](#).

Groups [B60K 35/00](#), [B60K 35/53](#) and [B60K 35/55](#) should be considered in order to perform a complete search.

- 35/55 . Instruments with parts that can change their shape or position to configure an active screen, e.g. by folding or by rolling

**WARNING**

Group [B60K 35/55](#) is incomplete pending reclassification of documents from groups [B60K 35/00](#) and [B60K 35/53](#).

Groups [B60K 35/00](#), [B60K 35/53](#) and [B60K 35/55](#) should be considered in order to perform a complete search.

- 35/60 . Instruments characterised by their location or relative disposition in or on vehicles ([arrangements of lighting devices on dashboards B60Q 3/10](#))

**NOTE**

{In this group, it is desirable to add the indexing codes of [B60K 2360/77](#) - [B60K 2360/797](#)}

**WARNING**

Group [B60K 35/60](#) is incomplete pending reclassification of documents from group [B60K 35/00](#).

Group [B60K 35/60](#) is also impacted by reclassification into groups [B60K 35/50](#) and [B60K 37/00](#) - [B60K 37/20](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 35/65 . Instruments specially adapted for specific vehicle types or users, e.g. for left- or right-hand drive

**NOTE**

{In the groups [B60K 35/65](#) - [B60K 35/658](#), it is desirable to add the indexing codes of [B60K 2360/731](#) - [B60K 2360/741](#)}

**WARNING**

Groups [B60K 35/65](#), [B60K 35/652](#), [B60K 35/654](#), [B60K 35/656](#) and [B60K 35/658](#) are incomplete pending reclassification of documents from group [B60K 35/00](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 35/652 . . {for left- or right-hand drive}
- 35/654 . . {the user being the driver}
- 35/656 . . {the user being a passenger}
- 35/658 . . {the instruments being ergonomically adjustable to the user}

- 35/70 . Instrument provisions for avoiding injuries to vehicle occupants in case of accidents

**WARNING**

Group [B60K 35/70](#) is incomplete pending reclassification of documents from groups [B60K 35/00](#) and [B60K 2360/652](#).

Groups [B60K 35/00](#), [B60K 2360/652](#) and [B60K 35/70](#) should be considered in order to perform a complete search.

- 35/80 . Arrangements for controlling instruments

**NOTE**

{In this group, it is desirable to add the indexing codes of [B60K 2360/55](#) - [B60K 2360/577](#)}

**WARNING**

Groups [B60K 35/80](#) and [B60K 35/81](#) are incomplete pending reclassification of documents from group [B60K 35/00](#).

Groups [B60K 35/00](#), [B60K 35/80](#) and [B60K 35/81](#) should be considered in order to perform a complete search.

- 35/81 . . for controlling displays  
35/85 . Arrangements for transferring vehicle- or driver-related data

**NOTE**

{In this group, it is desirable to add the indexing codes of [B60K 2360/583](#) - [B60K 2360/595](#)}

**WARNING**

Group [B60K 35/85](#) is incomplete pending reclassification of documents from group [B60K 35/00](#).

Groups [B60K 35/00](#) and [B60K 35/85](#) should be considered in order to perform a complete search.

- 35/90 . Calibration of instruments, e.g. setting initial or reference parameters; Testing of instruments, e.g. detecting malfunction

**WARNING**

Group [B60K 35/90](#) is incomplete pending reclassification of documents from group [B60K 35/00](#).

Groups [B60K 35/00](#) and [B60K 35/90](#) should be considered in order to perform a complete search.

- 37/00 **Dashboards** (as road-vehicle superstructure sub-units [B62D 25/14](#))

**NOTE**

{In this group, it is desirable to add the indexing codes of [B60K 2360/40](#) - [B60K 2360/48](#), [B60K 2360/65](#) - [B60K 2360/6992](#) and [B60K 2360/84](#)}

**WARNING**

Group [B60K 37/00](#) is incomplete pending reclassification of documents from groups [B60K 35/50](#) and [B60K 35/60](#).

Group [B60K 37/00](#) is also impacted by reclassification into groups [B60K 37/10](#) and [B60K 37/20](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 37/10 . Arrangements for attaching the dashboard to the vehicle

**WARNING**

Group [B60K 37/10](#) is incomplete pending reclassification of documents from groups [B60K 35/50](#), [B60K 35/60](#) and [B60K 37/00](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 37/20 . Dashboard panels

**WARNING**

Group [B60K 37/20](#) is incomplete pending reclassification of documents from groups [B60K 35/50](#), [B60K 35/60](#) and [B60K 37/00](#).

All groups listed in this Warning should be considered in order to perform a complete search.

<b>2310/00</b>	<b>Arrangements, adaptations or methods for cruise controls</b>
2310/20	. Operator actuated switches or levers for cruise control or speed limiting systems
2310/22	. Displays for target speed
2310/24	. Speed setting methods
2310/242	. . setting initial target speed, e.g. initial algorithms
2310/244	. . changing target speed or setting a new target speed, e.g. changing algorithms
2310/246	. . releasing speed control, e.g. inhibiting speed control if a brake pedal is depressed
2310/248	. . resuming speed control, e.g. returning to old target speed
2310/26	. Distance setting methods, e.g. determining target distance to target vehicle
2310/262	. . setting initial distance to preceding vehicle, e.g. initial algorithms
2310/264	. . changing distance, e.g. reducing the distance for overtaking
2310/266	. . releasing distance control, e.g. inhibiting control if target vehicle lost or changing lane
2310/268	. . resuming distance control, e.g. changing target vehicle
2310/28	. Following time setting methods, e.g. elapsed delay between preceding and host vehicle
2310/30	. Mode switching, e.g. changing from one cruise control mode to another

**Details of instruments or dashboards****2360/00 Indexing scheme associated with groups B60K 35/00 or B60K 37/00 relating to details of instruments or dashboards**

- 2360/11 . Instrument graphical user interfaces or menu aspects
- 2360/111 . . for controlling multiple devices
- 2360/113 . . Scrolling through menu items
- 2360/115 . . Selection of menu items
- 2360/117 . . Cursors
- 2360/119 . . Icons
- 2360/122 . Instrument input devices with reconfigurable control functions, e.g. reconfigurable menus
- 2360/126 . Rotatable input devices for instruments
- 2360/128 . Axially displaceable input devices for instruments
- 2360/131 . Pivotal input devices for instruments
- 2360/133 . Multidirectional input devices for instruments
- 2360/135 . . Joysticks
- 2360/137 . . Jog-dials
- 2360/139 . Clusters of instrument input devices
- 2360/141 . Activation of instrument input devices by approaching fingers or pens
- 2360/143 . Touch sensitive instrument input devices
- 2360/1434 . . Touch panels
- 2360/1438 . . Touch screens
- 2360/1442 . . . Emulation of input devices
- 2360/1446 . . Touch switches
- 2360/145 . Instrument input by combination of touch screen and hardware input devices
- 2360/146 . Instrument input by gesture
- 2360/1464 . . 3D-gesture
- 2360/1468 . . Touch gesture
- 2360/1472 . . . Multi-touch gesture
- 2360/1476 . . . Handwriting
- 2360/148 . Instrument input by voice
- 2360/149 . Instrument input by detecting viewing direction not otherwise provided for

**WARNING**

Group [B60K 2360/149](#) is impacted by reclassification into group [B60K 35/235](#).

Groups [B60K 2360/149](#) and [B60K 35/235](#) should be considered in order to perform a complete search.

- 2360/151 . Instrument output devices for configurable output
- 2360/1515 . . Reconfigurable dials
- 2360/1523 . Matrix displays
- 2360/1526 . Dual-view displays
- 2360/16 . Type of output information
- 2360/161 . . Explanation of functions, e.g. instructions
- 2360/162 . . Visual feedback on control action
- 2360/163 . . Language
- 2360/164 . . Infotainment
- 2360/165 . . Videos and animations
- 2360/166 . . Navigation
- 2360/167 . . Vehicle dynamics information
- 2360/168 . . Target or limit values
- 2360/169 . . Remaining operating distance or charge
- 2360/171 . . Vehicle or relevant part thereof displayed
- 2360/172 . . Driving mode indication
- 2360/173 . . Reversing assist
- 2360/174 . . Economic driving

- 2360/175 . . Autonomous driving
- 2360/176 . . Camera images
- 2360/177 . . Augmented reality
- 2360/178 . . Warnings
- 2360/179 . . Distances to obstacles or vehicles
- 2360/18 . Information management
- 2360/182 . . Distributing information between displays
- 2360/184 . . Displaying the same information on different displays
- 2360/186 . . Displaying information according to relevancy
- 2360/1868 . . . according to driving situations
- 2360/1876 . . . according to vehicle situations
- 2360/188 . . Displaying information using colour changes
- 2360/191 . . Highlight information
- 2360/195 . . Blocking or enabling display functions
- 2360/197 . . Blocking or enabling of input functions
- 2360/199 . . for avoiding maloperation
- 2360/20 . Optical features of instruments
- 2360/21 . . using cameras
- 2360/23 . . using reflectors
- 2360/25 . . using filters
- 2360/27 . . using semi-transparent optical elements
- 2360/28 . . . for instruments which are not visible when inactive
- 2360/29 . . Holographic features
- 2360/31 . . Virtual images
- 2360/33 . . Illumination features
- 2360/331 . . . Electroluminescent elements
- 2360/332 . . . Light emitting diodes
- 2360/333 . . . Lasers
- 2360/334 . . . Projection means
- 2360/336 . . . Light guides
- 2360/338 . . . Light strips
- 2360/339 . . . Translucent dashboard skins
- 2360/34 . . . Backlit symbols
- 2360/341 . . . Illumination of dials
- 2360/343 . . . Illumination of matrix displays
- 2360/344 . . . . for additionally illuminating mechanical elements, e.g. pointers or control knobs
- 2360/345 . . . Illumination of controls
- 2360/347 . . . Optical elements for superposition of display information
- 2360/349 . . . Adjustment of brightness

**WARNING**

Group [B60K 2360/349](#) is impacted by reclassification into group [B60K 35/234](#).

Groups [B60K 2360/349](#) and [B60K 35/234](#) should be considered in order to perform a complete search.

- 2360/40 . Hardware adaptations for dashboards or instruments
- 2360/42 . . Circuit board features
- 2360/46 . . Electrical connections
- 2360/47 . . . using wireless power transfer or transmission.
- 2360/48 . . Sensors
- 2360/55 . Remote control arrangements
- 2360/56 . . using mobile devices
- 2360/563 . . . Vehicle displaying mobile device information
- 2360/566 . . . Mobile devices displaying vehicle information
- 2360/569 . . . Vehicle controlling mobile device functions
- 2360/573 . . . Mobile devices controlling vehicle functions



- 2360/577 . . . Mirror link with mobile devices
- 2360/583 . . Data transfer between instruments
- 2360/586 . . Wired data transfers
- 2360/589 . . Wireless data transfers
- 2360/5894 . . . SIM cards
- 2360/5899 . . Internet
- 2360/5905 . . . Wi-fi
- 2360/5911 . . . Bluetooth
- 2360/5915 . . . Inter vehicle communication
- 2360/592 . . Data transfer involving external databases
- 2360/595 . . Data transfer involving internal databases
- 2360/60 . . Structural details of dashboards or instruments
- 2360/61 . . . Specially adapted for utility vehicles
- 2360/62 . . . Anti-theft arrangements
- 2360/65 . . . Features of dashboards
- 2360/652 . . . Crash protection features

### **WARNING**

Group [B60K 2360/652](#) is impacted by reclassification into group [B60K 35/70](#).

Groups [B60K 2360/652](#) and [B60K 35/70](#) should be considered in order to perform a complete search.

- 2360/658 . . . Dashboard parts used as air ducts
- 2360/66 . . Projection screens or combiners
- 2360/68 . . Features of instruments
- 2360/682 . . . Arrangements to cover or hide instruments
- 2360/685 . . . Instruments movable with steering column
- 2360/688 . . . Frames or decorative parts
- 2360/691 . . . Housings
- 2360/692 . . . Sealings
- 2360/693 . . . Cover plate features
- 2360/695 . . . Dial features
- 2360/698 . . . Pointers of combined instruments
- 2360/6985 . . . . with only part of pointer being visible
- 2360/6992 . . . . Light conducting pointers
- 2360/731 . . Instruments adaptations for specific vehicle types or users by comprising user programmable systems
- 2360/741 . . Instruments adapted for user detection
- 2360/77 . . Instrument locations other than the dashboard
- 2360/771 . . . on the ceiling
- 2360/774 . . . on or in the centre console
- 2360/777 . . . on or in sun visors
- 2360/779 . . . on or in rear view mirrors
- 2360/782 . . . on the steering wheel
- 2360/785 . . . on or in relation to the windshield or windows
- 2360/788 . . . on or in side pillars
- 2360/791 . . . on or in the transmission tunnel or parking brake lever
- 2360/794 . . . on or in doors
- 2360/797 . . . at the vehicle exterior
- 2360/816 . . Fastening of displays or touch screens
- 2360/822 . . Adjustment of instruments during mounting
- 2360/828 . . Mounting or fastening exchangeable modules
- 2360/834 . . . Docking arrangements
- 2360/84 . . Mounting of dashboard components
- 2360/92 . . Manufacturing of instruments
- 2360/96 . . . by assembling

### **Control mechanisms or devices**

- 2700/00 Control mechanisms and elements applying a mechanical movement**
- 2700/02 . . regulating mechanisms combined with non-mechanical transmissions
- 2702/00 Control devices wherein the control is combined with or essentially influenced by the engine or coupling, e.g. in an internal combustion engine, the control device is coupled with a carburettor control device or influenced by carburettor depression**
- 2702/02 . . Automatic transmission with toothed gearing
- 2702/04 . . . Control dependent on speed
- 2702/06 . . . Control dependent on torque
- 2702/08 . . Semi-automatic or non-automatic transmission with toothed gearing
- 2702/10 . . . without a preselection system
- 2702/12 . . . . the control being mechanical
- 2702/14 . . . . the control being hydraulic or pneumatic
- 2702/16 . . . . the control being electric
- 2702/18 . . . with a preselection system, e.g. semi-automatic
- 2702/20 . . . . using different control members for preselection and actuating, e.g. shift actuation is initiated by clutch pedal with elastic connection for energy accumulation
- 2704/00 Control devices, wherein the control is combined with or mainly influenced by the working of the engine or the main coupling, e.g. control device is linked to the carburettor control and is influenced by depression of pedal, for semi-automatic or non-automatic transmission having toothed wheels**
- 2704/02 . . without preselection system, the control being mechanical
- 2704/04 . . with preselection system, e.g. for semi-automatic transmission